



# Electrolux

## Standard Preparation 1400 mm Sink with 2 Bowls

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



Electrolux

Standard Preparation  
1400 mm Sink with 2 Bowls



Standard Preparation

1400 mm Sink with 2 Bowls

132350 (LG1426P)

Sink unit with 2 bowls  
600x500mm, 1400mm

### Short Form Specification

#### Item No.

Made from 304 AISI stainless steel. The 50mm high worktop in 304 AISI stainless steel, 1mm in thickness, is sound-deadened and has an overflow rim and welded corners. Integral rear upstand, h=100mm, with 8mm radius. All-round apron. Square section legs 40x40mm on 1" height-adjustable feet (+/-20mm)

N. 2 bowls mm600x500x300h with overflow pipe and 2" drain hole.

### Main Features

- Model complies with international hygiene and cleanability standards.

### Construction

- 50 mm worktop in 304 AISI stainless steel, 10/10 in thickness with overflow rim along the top.
- Sink bowl in 304 AISI stainless steel, supplied with overflow drain pipe and drain hole.
- 100 mm upstand with 8 mm radiused corner and 13 mm deep, designed to be used against a wall.
- Square section legs and 40 mm height-adjustable feet in 304 AISI stainless steel.
- Sink tops easily slotted onto the legs and taps are easily installed from the rear.
- Accessories available on request: lower shelf, tap unit, false bowl bottom, overflow filter, single or double syphons.

### Optional Accessories

- Double plastic drain syphon 2" for sinks PNC 850022 ☐
- Elbow operated mixer tap 3/4" PNC 855302 ☐
- Elbow operated tap with spray arm and spout PNC 855304 ☐
- Mixer tap with spray, spout, short lever and thermostat, double hole PNC 855307 ☐
- Wall mixer tap with swivel spout 3/4" PNC 855310 ☐
- Mixer tap with spray arm 3/4" PNC 855311 ☐
- Prewash spray unit, single hole PNC 855315 ☐
- Mixer tap with spout, foot pedal operated for sinks on legs PNC 855317 ☐
- Mixer tap with swivel spout 3/4", single hole PNC 855319 ☐
- Maxi reel retractable hose spray unit, 10m PNC 855320 ☐
- Maxi reel retractable hose spray unit, 15m PNC 855321 ☐
- Elbow operated mixer tap with spout 3/4", single hole PNC 855322 ☐
- Elbow operated tap with spray arm and spout, single hole PNC 855324 ☐
- Infrared mixer tap with spout 3/4", single hole PNC 855325 ☐
- HD mixer tap with spray arm 3/4", single hole PNC 855326 ☐
- Maxi reel retractable hose spray unit, 6m PNC 855327 ☐
- Foot operated mixer tap (hot and cold) with spout 3/4" PNC 855328 ☐
- Mixer tap with spray and spout 3/4", single hole PNC 855329 ☐


APPROVAL: \_\_\_\_\_

- Lower shelf for 1400mm sink on legs PNC 855344  
☐
- False bottom for right hand 600x500mm bowl PNC 895100  
☐
- False bottom for left hand 600x500mm bowl PNC 895110  
☐
- Overflow filter for 600x500mm bowl PNC 895135  
☐
- Single plastic drain syphon 2" for sinks PNC 895313  
☐
- Single brass drain syphon 2" for sinks PNC 895314  
☐



### Key Information:

<b>External dimensions, Height:</b>	1000 mm
<b>132350 (LG1426P)</b>	
<b>External dimensions, Width:</b>	1400 mm
<b>External dimensions, Depth:</b>	700 mm
<b>Upstand Dimensions, Height:</b>	100 mm
<b>Upstand Dimensions, Depth:</b>	13 mm
<b>Upstand Dimensions, Radius:</b>	R=8 mm
<b>Bowls number</b>	2
<b>Bowl dimensions</b>	600x500xH300
<b>Worktop thickness:</b>	50 mm
<b>Net weight:</b>	46 kg



### Standard Preparation

#### 1400 mm Sink with 2 Bowls

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2015.03.20