# Vegetable Slicer TRK45 Cutter Slicer - 4.5 LT -Variable Speed

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA #		



Vegetable Slicer

TRK45 Cutter Slicer - 4.5 LT - Variable Speed

603701 (TRK45VVE)

Cutter/slicer, 4.5 liter variable speed -200-240/1/50-60

# **Short Form Specification**

## Item No.

Unit to be Electrolux TRK45 Cutter Slicer. Electrical characteristics to be \_\_200-240 single phase operation with variable speed from 300 to 3300 rpm. The TRK45 is a versatile machine capable of changing from vegetable slicer to food processor in a matter of seconds. When using the vegetable slicer attachment, it is possible to quickly and easily make over 70 different types of cuts in slicing, cubing, grating, french fry cuts and more. When using the food processing attachment, it is possible to mince meat, create elaborate: mousses, stuffings, creams, and pastries. The capacities of the TRK45 makes it the perfect complement for kitchens of any size.

#### **Main Features**

- 3 in 1 machine: cutter, emulsifier and vegetable slicer to slice, grate, liquidise, mix and mince in a matter of seconds.
- Incly system to incline motor base at 20° to better fit the vegetable slicer attachment.
- Delivered with:
  - -Stainless steel lever operated feed hopper
  - -4,5 It stainless steel cutter bowl, transparent lid, scraper and microtoothed blade rotor
- Vegetable slicer unit has slicing, grating, shredding (julienne) as well as dicing and french fries capabilities.
- Long vegetables round hopper integrated in the feed arm, 3/4 moon roundish hopper to limit pre cutting operations.
- Emulsifier function (scraper) included as standard.
- Base fixed cover for a better handling.
- Red OFF, green ON buttons.
- Pulse function to coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Magnetic safety system and motor brake. Prevents machine from running when vegetable preparation lever and/or hopper are lifted or when cutter lid is not properly closed.
- Automatic speed limitation according to the selected function (slicer or cutter).
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Capacity:
  - rvegetable slicer productivity 550 kg/h, suitable for 100-400 meals for table service, up to 800 meals for catering service
  - -cutter mixer working capacity from 100 g to 2 kg, for 50-80 meals per service


#### Construction

- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft
- All blades (available on request) are made in stainless steel and dishwasher safe.
- Stainless steel bowl has a high chimney to ensure high productivity also when processing liquids (75% of the nominal capacity).
- Feeding arm and hopper are made entirely in stainless steel. Aluminum motor housing.
- Vegetable cutting at 4 speeds up to 800 rpm. Food processing at 10 variable speeds: 300-3700 rpm.
- Power: TRK45 1.3 HP.
- IPX5 (IP55) flat panel touch-control, waterproof panel.
- Compact and portable design.
- Water protected planetary system (IP55 electrical controls, IP23 overall machine).





# Vegetable Slicer TRK45 Cutter Slicer - 4.5 LT -Variable Speed



Electric

Supply voltage:
603701 (TRK45VVE)
200-240 V/1N ph/50/60 Hz
Electrical power:
1 kW

Total Watts:
1 kW

Capacity:

Performance (up to):
550 - kg/hour
4.5 liter

Key Information: External dimensions, Height: External dimensions, Width:


Shipping weight:

External dimensions, Depth:

505 mm 252 mm 485 mm

30.5 kg

Vegetable Slicer TRK45 Cutter Slicer - 4.5 LT - Variable Speed





## Vegetable Slicer TRK45 Cutter Slicer - 4.5 LT -Variable Speed

## **Included Accessories**

- 1 of Microtoothed blade rotor for 4,5 lt PNC 653580 cutter mixer
- 1 of Lid and bowl scraper for 4,5 lt cutter PNC 653588 mixer
- 1 of Stainless steel bowl for 4,5 lt cutter PNC 653589 mixer
- 1 of Ejector disc PNC 653772

## **Optional Accessories**

- Stainless steel work table with folding shelves and disk rack for TRS and TR210 ☐ table top models
- Dicing grid 5x5 mm
   PNC 653566
   □
   Dicing grid 8x8 mm
   PNC 653567
   □
   Dicing grid 10x10 mm
   PNC 653568
- Dicing grid 12x12 mm
   PNC 653569
   Dicing grid 20x20 mm
   PNC 653570
- Grid for chips 6x6 mm PNC 653571
   Grid for chips 8x8 mm PNC 653572
- Grid for chips 10x10 mm PNC 653573
- Smooth blade rotor for 4,5 lt cutter mixer PNC 653579
- Microtoothed blade rotor for 4,5 lt cutter PNC 653580 mixer
- Lid and bowl scraper for 4,5 lt cutter mixer
   PNC 653588
- Stainless steel bowl for 4,5 lt cutter mixerPNC 653589
- Kit to convert variable speed cutter mixers into vegetable slicer (incl. stainless steel hopper, manual lever, cutting chamber, ejector and adjustable base)
- Smooth blade rotor (emulsifier) for 4,5 lt PNC 653614 cutter mixer
- Stainless steel slicing disc with S-blades PNC 653729 1 mm
- Stainless steel slicing disc with S-blades PNC 653730 2 mm
- Stainless steel slicing disc with S-blades PNC 653731 3 mm  $\hfill \Box$
- Stainless steel slicing disc with S-blades PNC 653732 4 mm
- Stainless steel slicing disc with S-blades PNC 653733 5 mm
- Stainless steel slicing disc with S-blades PNC 653735 6 mm
- Stainless steel slicing disc with S-blades PNC 653737 8 mm
- Stainless steel shredding disc with S-blades 2x2 mm PNC 653743 □
- Stainless steel shredding disc with Sblades 3x3 mm ☐ PNC 653744
- Stainless steel shredding disc with S-PNC 653745
- blades 4x4 mm

   Stainless steel shredding disc with S-blades 6x6 mm (can also be used for chips)

  □ PNC 653746
  □ □

- Stainless steel shredding disc with S-blades PNC 653748 □ 10x10 mm (can also be used for chips)
- Stainless steel disc with corrugated Sblades 2 mm

  PNC 653749 □
- Stainless steel disc with corrugated S- PNC 653750 ☐ blades 3 mm
- Stainless steel disc with corrugated S- PNC 653751 □ blades 6 mm
- Ejector disc PNC 653772 
   Stainless shoel grating disc 2 mm PNC 653773 

  PNC 653
- Stainless steel grating disc 2 mm PNC 653773 PNC 653773
- Stainless steel grating disc 3 mm
   PNC 653774 □
   Stainless steel grating disc 4 mm
   PNC 653775 □
- Stainless steel grating disc 4 mm
   PNC 653775 □
   Stainless steel grating disc 7 mm
   PNC 653776 □
- Stainless steel grating disc 9 mm PNC 653777 🗆
- Stainless steel grating disc for knoedeln and PNC 653778 ☐ bread
- Stainless steel grating disc for parmesan and bread

  PNC 653779 □
- Bistrot Pack-set stainless steel discs (C2S-2mm slicing disc, C5S-5mm slicing disc, J2X-2mm grating disc)
   PNC 653785 ☐
- Gastronomy Pack-set stainless steel discs (C2S-2mm slicing disc, C5S-5mm slicing disc, 12X-2mm grating disc, AS4X-4x4mm shredding disc, C10PS-10mm presser/slicer, MT10T-10x10mm dicing grid)

