



Electrolux

Modular Cooking Range Line 700XP Full Module Gas PowerGrill Top

ITEM # _____
MODEL # _____
NAME # _____
SIS # _____
AIA # _____



Modular Cooking Range Line

700XP Full Module Gas PowerGrill Top

371043 (E7GRGHGC0P)

Full module gas PowerGrill
top - HP

Short Form Specification

Item No.

Unit to be Electrolux 700XP Full Module Gas **PowerGrill** top. Unit to have high efficiency 14 kW Stainless steel gas burners with flame failure device, optimized combustion and protected pilot light. Suitable for natural gas or LPG. Unit to be installed on open base installations, bridging supports or cantilever systems. Cooking surface grids to be of cast iron, easily removable for cleaning. Exterior panels of unit in Stainless steel with Scotch Brite finish. One piece pressed work top in 1.5 mm thick Stainless steel. Unit has right-angled side edges to allow flush-fitting junction between units.

Main Features

- Unit to be mounted on open base cupboards, bridging supports or cantilever systems.
- Stainless steel burners with flame failure device, optimized combustion and protected pilot light.
- AISI 441 stainless steel deflective shields located below the radiants prevent burners from clogging, minimize flare ups and ensure even heat distribution (PATENT PENDING).
- Dishwasher-safe radiants removable without the use of tools to facilitate cleaning.
- Stainless steel high splash guards on the rear and sides of cooking surface. Splash guards can be easily removed for cleaning and are dishwasher-safe.
- IPX4 water resistance certification.

Construction

- All exterior panels in Stainless Steel with Scotch Brite finishing.
- One piece pressed 1.5 mm work top in Stainless steel.
- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.

APPROVAL: _____



Electrolux

Modular Cooking Range Line
700XP Full Module Gas PowerGrill Top

Optional Accessories


- Junction sealing kit PNC 206086
☐
- Draught diverter, 150 mm diameter PNC 206132
☐
- Matching ring for flue condenser, 150 mm diameter PNC 206133
☐
- Support for bridge type installation, 800mm PNC 206137
☐
- Support for bridge type installation, 1000mm PNC 206138
☐
- Support for bridge type installation, 1200mm PNC 206139
☐
- Support for bridge type installation, 1600mm PNC 206141
☐
- Flue condenser for 1 module, 150 mm diameter PNC 206246
☐
- Right and left side handrails PNC 206307
☐
- Back handrail 800mm, Marine PNC 206308
☐
- Scraper kit with hooks for HP grills PNC 206347
☐
- Frontal handrail, 800mm PNC 216047
☐
- Frontal handrail, 1200mm PNC 216049
☐
- Frontal handrail, 1600mm PNC 216050
☐
- Large handrail - portioning shelf, 800mm PNC 216186
☐
- 2 side covering panels for top appliances PNC 216277
☐
- Pressure regulator for gas units PNC 927225
☐




Electrolux

Modular Cooking Range Line 700XP Full Module Gas PowerGrill Top

Front




Top



- EQ = Equipotential screw
- F = Fumes outlet
- G = Gas connection

Side



Gas

Gas Power:

371043 (E7GRGHGC0P)

47726 Btu/hr (14 kW)

Standard gas delivery:

Natural Gas G20 (20mbar)

Gas Type Option:

Gas Inlet:

1/2"

Key Information:

Cooking surface width: 742 mm

Cooking surface depth: 472 mm

Net weight: 68 kg

Shipping weight: 80 kg

Shipping height: 540 mm

Shipping width: 820 mm

Shipping depth: 860 mm

Shipping volume: 0.38 m³

If appliance is set up or next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.

Modular Cooking Range Line
700XP Full Module Gas PowerGrill Top

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2017.06.23