



Electrolux

Vegetable Slicer TRK45 Cutter Slicer - Variable Speed, 4.8qt s/s bowl

ITEM #

MODEL #

NAME #

SIS #

AIA #



Electrolux

TRK45 Cutter Slicer - Variable Speed, 4.8qt s/s bowl



Vegetable Slicer

TRK45 Cutter Slicer - Variable Speed, 4.8qt s/s bowl

603811 (TRK45VVNU)

TRK45VV W/ 4.7QT BOWL+
CUTTING-VAR SP-US
(300-3700 rpm)

Short Form Specification

Item No.

TRK45VVNU-Vegetable Cutter/Mixer, angled front, continuous feed design, variable speed (300-3700 rpm), large single feed hopper, includes 4.7 qt stainless steel bowl, lid, bowl scraper, microtooth blade rotor, handle pusher, standard ejector, stainless steel feeding arm & hopper, aluminum motor housing, 1-1/3 HP, 120v/60/1, 6.0 amps, NEMA 5-15P, ETL listed (no discs included)



APPROVAL:

Main Features

- 3 in 1 machine: cutter, emulsifier and vegetable slicer to slice, grate, liquidise, mix and mince in a matter of seconds.
- Incl system to incline motor base at 20° to better fit the vegetable slicer attachment.
- Delivered with:
 - Stainless steel lever operated feed hopper.
 - 1 gallon (4,5 lt) stainless steel cutter bowl, transparent lid, scraper and microtoothed blade rotor.
- Vegetable slicer unit has slicing, grating, shredding as well as dicing and french fries capabilities.
- Long vegetables round hopper integrated in the feed arm, 3/4 moon roundish hopper to limit pre cutting operations.
- Emulsifier function (scraper) included as standard.
- Base fixed cover for a better handling.
- Red OFF, green ON buttons.
- Pulse function to coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Magnetic safety system and motor brake. Prevents machine from running when vegetable preparation lever and/or hopper are lifted or when cutter lid is not properly closed.
- Automatic speed limitation according to the selected function (slicer or cutter).
- Complete and wide selection of blades and grids available diameter 8" (205 mm).
- TRK45 - 1 kW.

Construction

- Stainless steel bowl has a high chimney to ensure high productivity also when processing liquids (75% of the nominal capacity).
- Food processing at 10 variable speeds: 300-3700 rpm.
- Power: TRK45 - 1.3 HP.
- Compact and portable design.

Included Accessories

- 1 of Microtooth blade rotor for 4.7 quart PNC 653580 cutter/mixer
- 1 of Lid & bowl scraper, 4.7 quart, for PNC 653588 cutter/mixer
- 1 of Bowl, 4.7 quart, for cutter/mixer, PNC 653589 stainless steel

Electrolux Professional, Inc.

www.electroluxusa.com/professional

10200 David Taylor Drive, Charlotte, NC 28262 • Telephone Number: 866-449-4200 • Fax Number: 704-547-7401



Electrolux

Vegetable Slicer TRK45 Cutter Slicer - Variable Speed, 4.8qt s/s bowl

- 1 of TRS & TRK ejector plate (fits with following PNCs: 603800, 603801, 603802, 603803, 603811, 603812, 603813) PNC 653772

Optional Accessories

- Microtooth blade rotor for 4.7 quart cutter/mixer for emulsions PNC 650039 ☐
- AS4X-Julienne Blade 5/32" PNC 650077 ☐
- - NOT TRANSLATED - PNC 650078 ☐
- - NOT TRANSLATED - PNC 650079 ☐
- - NOT TRANSLATED - PNC 650080 ☐
- - NOT TRANSLATED - PNC 650081 ☐
- - NOT TRANSLATED - PNC 650082 ☐
- - NOT TRANSLATED - PNC 650083 ☐
- - NOT TRANSLATED - PNC 650084 ☐
- - NOT TRANSLATED - PNC 650085 ☐
- - NOT TRANSLATED - PNC 650086 ☐
- - NOT TRANSLATED - PNC 650087 ☐
- - NOT TRANSLATED - PNC 650088 ☐
- - NOT TRANSLATED - PNC 650089 ☐
- - NOT TRANSLATED - PNC 650090 ☐
- - NOT TRANSLATED - PNC 650091 ☐
- - NOT TRANSLATED - PNC 650092 ☐
- - NOT TRANSLATED - PNC 650093 ☐
- Emulsifying kit for TRK, K45 variable speed, includes 4.7qt (4.5lt) s/s bowl, smooth emulsion blade, lid and scraper PNC 650119 ☐
- - NOT TRANSLATED - PNC 650158 ☐
- - NOT TRANSLATED - PNC 650159 ☐
- - NOT TRANSLATED - PNC 650160 ☐
- - NOT TRANSLATED - PNC 650161 ☐
- - NOT TRANSLATED - PNC 650162 ☐
- - NOT TRANSLATED - PNC 650164 ☐
- - NOT TRANSLATED - PNC 650165 ☐
- - NOT TRANSLATED - PNC 650166 ☐
- - NOT TRANSLATED - PNC 650167 ☐
- - NOT TRANSLATED - PNC 650178 ☐
- - NOT TRANSLATED - PNC 650179 ☐
- Stainless steel work table assembly. PNC 653283 ☐
- Dicing Grid, 1/5" PNC 653566 ☐
- Dicing Grid, 5/16" PNC 653567 ☐
- Dicing Grid, 3/8" PNC 653568 ☐
- Dicing Grid, 1/2" PNC 653569 ☐
- Dicing Grid, 3/4" PNC 653570 ☐
- French Fry/Vegetable Stick Blade, 1/4" PNC 653571 ☐
- French Fry/Vegetable Stick Blade, 5/16" PNC 653572 ☐
- French Fry/Vegetable Stick Blade, 3/8" PNC 653573 ☐
- Smooth blade rotor for 4.7 quart cutter/mixer PNC 653579 ☐
- Microtooth blade rotor for 4.7 quart cutter/mixer PNC 653580 ☐


- Lid & bowl scraper, 4.7 quart, for cutter/mixer PNC 653588 ☐
- Bowl, 4.7 quart, for cutter/mixer, stainless steel PNC 653589 ☐
- Kit for Vegetable Slicer conversion for variable speed cutter/mixer PNC 653594 ☐
- Smooth blade rotor for 4.7 quart cutter/mixer for emulsions PNC 653614 ☐
- TRS & TRK ejector plate (fits with following PNCs: 603800, 603801, 603802, 603803, 603811, 603812, 603813) PNC 653772 ☐
- Grating Blade, stainless steel, fine, 1/16" (2mm) (replaces old disc 653713) PNC 653773 ☐
- Grating Blade, stainless steel, fine, 1/8" (3mm) (replaces old disc 653714) PNC 653774 ☐
- Grating Blade, stainless steel, 5/32" (4mm) (replaces old disc 653715) PNC 653775 ☐
- Grating Blade, stainless steel, 9/32" (7mm) (replaces old disc 653716) PNC 653776 ☐
- Grating Blade, stainless steel, 23/64" (9mm) (replaces old disc 653717) PNC 653777 ☐
- Grating Blade, designed for nuts, chocolate & bread crumbs, stainless steel (replaces old disc 653718) PNC 653778 ☐
- Grating Blade, especially fine grating for Parmesan cheese, stainless steel (replaces old disc 653719) PNC 653779 ☐




Electrolux

**Vegetable Slicer
TRK45 Cutter Slicer - Variable
Speed, 4.8qt s/s bowl**

Front




Top



EI = Electrical connection

Side



Electric

Supply voltage:

603811 (TRK45VVNU)

100-120 V/1N ph/50/60 Hz

Electrical power, max:

1 kW

Total Watts:

1 kW

Key Information:

External dimensions, Width: 9 15/16" (252 mm)

External dimensions, Depth: 19 1/16" (485 mm)

External dimensions, Height: 19 7/8" (505 mm)

Shipping width: 12 13/16" (325 mm)

Shipping depth: 32 1/16" (815 mm)

Shipping height: 23 5/8" (600 mm)

Shipping weight: 72 lbs (32.5 kg)

**Vegetable Slicer
TRK45 Cutter Slicer - Variable Speed, 4.8qt s/s bowl**

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2017.01.10