



Electrolux

Modular Cooking Range Line 700XP Full Module Freestanding Electric Char-Grill

ITEM # _____
MODEL # _____
NAME # _____
SIS # _____
AIA # _____



Modular Cooking Range Line

700XP Full Module Freestanding Electric Char-Grill

371242 (E7GREHGCPU)

Full module electric grill free standing

Short Form Specification

Item No.

To be installed on height adjustable feet in stainless steel. Heating via incoloy armoured heating elements placed below the cooking plate. Cooking surface grids in cast iron, easily removable for cleaning. Cast iron grids can be rotated for the grilling of fish or meats. Exterior panels in stainless steel with Scotch Brite finish. One piece pressed work top in 1.5 mm thick stainless steel. Right-angled side edges to allow flush-fitting junction between units.

Main Features

- Cast iron grids can be rotated on the right ribbed profile, to grill fish or meats.
- Stainless steel high splash guards on the rear and sides of cooking surface. Splash guards can be easily removed for cleaning and are dishwasher-safe.
- IPX4 water resistance certification.
- Unit delivered with four 50 mm legs in stainless steel as standard (all round Stainless steel kick plates as option).
- Energy regulation through a control knob.
- Heating element can be tilted frontally for easy cleaning.
- The low temperature of the external panels allow to work in safety.
- Each half module is heated via incoloy armoured heating elements below the cooking plate.
- Separate controls for each half module.

Construction

- All exterior panels in Stainless Steel with Scotch Brite finishing.
- One piece pressed 1.5 mm work top in Stainless steel.
- Model has right-angled side edges to allow flush fitting joints between units, eliminating gaps and possible dirt traps.

Optional Accessories

- | | |
|---|--------------------------|
| • Flanged feet kit | PNC 206136 |
| | <input type="checkbox"/> |
| • Frontal kicking strip for concrete installation, 200mm | PNC 206146 |
| | <input type="checkbox"/> |
| • Frontal kicking strip for concrete installation, 400mm | PNC 206147 |
| | <input type="checkbox"/> |
| • Frontal kicking strip for concrete installation, 800mm | PNC 206148 |
| | <input type="checkbox"/> |
| • Frontal kicking strip for concrete installation, 1000mm | PNC 206150 |
| | <input type="checkbox"/> |
| • Frontal kicking strip for concrete installation, 1200mm | PNC 206151 |
| | <input type="checkbox"/> |
| • Frontal kicking strip for concrete installation, 1600mm | PNC 206152 |
| | <input type="checkbox"/> |
| • Frontal kicking strip, 200mm (not for refr-freezer base) | PNC 206174 |
| | <input type="checkbox"/> |
| • Frontal kicking strip, 400mm (not for refr-freezer base) | PNC 206175 |
| | <input type="checkbox"/> |
| • Frontal kicking strip, 800mm (not for refr-freezer base) | PNC 206176 |
| | <input type="checkbox"/> |
| • Frontal kicking strip, 1000mm (not for refr-freezer base) | PNC 206177 |
| | <input type="checkbox"/> |
| • Frontal kicking strip, 1200mm (not for refr-freezer base) | PNC 206178 |
| | <input type="checkbox"/> |
| • Frontal kicking strip, 1600mm (not for refr-freezer base) | PNC 206179 |
| | <input type="checkbox"/> |

APPROVAL: _____



Electrolux

Modular Cooking Range Line
700XP Full Module Freestanding Electric Char-Grill


- Kit 4 feet for concrete installation (not for 900 line free standing grill) PNC 206210
☐
- Central support for installation of drawers and grid (on 800/1200mm bases) and of doors (on 1200mm bases) PNC 206245
☐
- Pair of side kicking strips PNC 206249
☐
- Pair of side kicking strips for concrete installation PNC 206265
☐
- Water filling tap for 800 mm free standing grills PNC 206281 ☐
- Chimney upstand, 800mm PNC 206304
☐
- Right and left side handrails PNC 206307
☐
- Base support for feet or wheels - 400mm (700/900) PNC 206366
☐
- Base support for feet or wheels - 800mm (700/900) PNC 206367
☐
- Base support for feet or wheels - 1200mm (700/900) PNC 206368
☐
- Base support for feet or wheels - 1600mm (700/900) PNC 206369
☐
- Base support for feet or wheels - 2000mm (700/900) PNC 206370
☐
- Rear paneling - 800mm (700/900) PNC 206374
☐
- Rear paneling - 1000mm (700/900) PNC 206375
☐
- Rear paneling - 1200mm (700/900) PNC 206376
☐
- Stainless steel grid for free standing grills PNC 206410
☐
- Stainless steel grid for free standing V-shaped grills (700XP) PNC 206411 ☐
- Scraper for grids with drainage channels - top grills PNC 206421
☐
- Scraper for free standing grills PNC 206422
☐
- Frontal handrail, 800mm PNC 216047
☐
- Frontal handrail, 1200mm PNC 216049
☐
- Frontal handrail, 1600mm PNC 216050
☐
- Large handrail - portioning shelf, 400mm PNC 216185 ☐
- Large handrail - portioning shelf, 800mm PNC 216186 ☐




Electrolux

Modular Cooking Range Line 700XP Full Module Freestanding Electric Char-Grill

Front




Top



EI = Electrical connection
EQ = Equipotential screw
F = Fumes outlet

Side



Electric

Supply voltage:

371242 (E7GREHGCPU)

400 V/3N ph/50/60 Hz

Electrical power max.:

12 kW

Total Watts:

12 kW

Key Information:

Cooking surface width:

631 mm

Cooking surface depth:

478 mm

Net weight:

75 kg

Shipping weight:

86 kg

Shipping height:

1200 mm

Shipping width:

820 mm

Shipping depth:

900 mm

Shipping volume:

0.89 m³

If appliance is set up or next to or against temperature sensitive furniture or similar, a safety gap of approximately 150 mm should be maintained or some form of heat insulation fitted.



Modular Cooking Range Line
700XP Full Module Freestanding Electric Char-Grill

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2016.11.03