



Electrolux

Standard Preparation 1400 mm Sink with 1 Bowl - Left Drain

ITEM # _____
MODEL # _____
NAME # _____
SIS # _____
AIA # _____



Electrolux

Standard Preparation
1400 mm Sink with 1 Bowl - Left Drain



Standard Preparation

1400 mm Sink with 1 Bowl - Left Drain

132352 (LG1416SXP)

Sink unit with 1 bowl
600x500mm and left hand
drainer, 1400mm

Short Form Specification

Item No.

Made from 304 AISI stainless steel. The 50mm high worktop in 304 AISI stainless steel, 1mm in thickness, is sound-deadened and has an overflow rim and welded corners. Integral rear upstand, h=100mm, with 8mm radius. All-round apron. Square section legs 40x40mm on 1" height-adjustable feet (+/-20mm)

Bowl mm600x500x300h with overflow pipe and 2" drain hole; left hand drainer.

Main Features

- Model complies with international hygiene and cleanability standards.

Construction

- 50 mm worktop in 304 AISI stainless steel, 10/10 in thickness with overflow rim along the top.
- Sink bowl in 304 AISI stainless steel, supplied with overflow drain pipe and drain hole.
- 100 mm upstand with 8 mm radiused corner and 13 mm deep, designed to be used against a wall.
- Square section legs and 40 mm height-adjustable feet in 304 AISI stainless steel.
- Sink tops easily slotted onto the legs and taps are easily installed from the rear.
- Accessories available on request: lower shelf, tap unit, false bowl bottom, overflow filter, single or double syphons.

Optional Accessories

- Elbow operated mixer tap 3/4" PNC 855302 ☐
- Elbow operated tap with spray arm and spout PNC 855304 ☐
- Mixer tap with spray, spout, short lever and thermostat, double hole PNC 855307 ☐
- Wall mixer tap with swivel spout 3/4" PNC 855310 ☐
- Mixer tap with spray arm 3/4" PNC 855311 ☐
- Prewash spray unit, single hole PNC 855315 ☐
- Mixer tap with spout, foot pedal operated for sinks on legs PNC 855317 ☐
- Mixer tap with swivel spout 3/4", single hole PNC 855319 ☐
- Maxi reel retractable hose spray unit, 10m PNC 855320 ☐
- Maxi reel retractable hose spray unit, 15m PNC 855321 ☐
- Elbow operated mixer tap with spout 3/4", single hole PNC 855322 ☐
- Elbow operated tap with spray arm and spout, single hole PNC 855324 ☐
- Infrared mixer tap with spout 3/4", single hole PNC 855325 ☐
- HD mixer tap with spray arm 3/4", single hole PNC 855326 ☐
- Maxi reel retractable hose spray unit, 6m PNC 855327 ☐
- Foot operated mixer tap (hot and cold) with spout 3/4" PNC 855328 ☐
- Mixer tap with spray and spout 3/4", single hole PNC 855329 ☐
- Lower shelf for 1400mm sink on legs PNC 855344 ☐

APPROVAL: _____



Electrolux

**Standard Preparation
1400 mm Sink with 1 Bowl - Left
Drain**

- False bottom for right hand 600x500mm bowl ☐ PNC 895100
- Overflow filter for 600x500mm bowl ☐ PNC 895135
- Single plastic drain syphon 2" for sinks ☐ PNC 895313
- Single brass drain syphon 2" for sinks ☐ PNC 895314



**Standard Preparation
1400 mm Sink with 1 Bowl - Left Drain**


The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2015.03.20


Key Information:

External dimensions, Height:	
132352 (LG1416SXP)	1000 mm
External dimensions, Width:	1400 mm
External dimensions, Depth:	700 mm
Upstand Dimensions, Height:	100 mm
Upstand Dimensions, Depth:	13 mm
Upstand Dimensions, Radius:	R=8 mm
Bowls number	1
Bowl dimensions	600x500xH300
Worktop thickness:	50 mm
Net weight:	46 kg

Front



Top



D = Drain
EQ = Equipotential screw

Side

