



Electrolux

Standard Preparation 1840 mm Fish Processing Table

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



Electrolux

Standard Preparation
1840 mm Fish Processing Table



Standard Preparation

1840 mm Fish Processing Table

132328 (TLP1810P)

Fish processing table with polythene cutting board, 510x310x200mm bowl, perforated top and 3-sided upstand

Short Form Specification

Item No.

50mm high inclined worktop in 304 AISI stainless steel, 1mm in thickness, integrates a perforated tray, cutting board and retractable hose. Integral radiused upstand on three sides, h=100mm. All-round apron. Square section legs 40x40mm on 1" height-adjustable feet in 304 AISI stainless steel. Bowl mm 510x310x200h with filter basket, overflow pipe and drain hole.

Main Features

- Model complies with international hygiene and cleanability standards.

Construction

- Table can be equipped with a mobile bin with lid for waste disposal (optional accessory).
- 50 mm worktop in 304 AISI stainless steel, 10/10 in thickness with upturned edges and reinforced waterproof underpanel, incorporates a layer of sound deadening materials.
- 100 mm upstand with 8 mm radiused corner and 13 mm deep, designed to be used against a wall.
- Square section legs and 40 mm height-adjustable feet in 304 AISI stainless steel.
- Unit features an all-round apron, a bowl with filter basket (510 x 310 x 200 mm) positioned on the right hand side of the table, a polythene cutting board and a perforated shelf.
- Equipped with an inclined top and retractable hose.

Optional Accessories

- Stainless steel 60-lt mobile bin with lid PNC 120131 ☐
- Lower shelf for fish processing table PNC 855227 ☐
- Elbow operated mixer tap 3/4" PNC 855302 ☐
- Elbow operated tap with spray arm and spout PNC 855304 ☐
- Single plastic drain syphon 1,5" for work tables with bowl PNC 855306 ☐
- Mixer tap with spray, spout, short lever and thermostat, double hole PNC 855307 ☐
- Single brass drain syphon 1,5" for work tables with bowl PNC 855308 ☐
- Wall mixer tap with swivel spout 3/4" PNC 855310 ☐
- Mixer tap with spray arm 3/4" PNC 855311 ☐
- Prewash spray unit, single hole PNC 855315 ☐
- Mixer tap with spout, foot pedal operated for sinks on legs PNC 855317 ☐
- Mixer tap with swivel spout 3/4", single hole PNC 855319 ☐
- Elbow operated mixer tap with short spout 3/4", single hole PNC 855323 ☐
- Elbow operated mixer tap with spray arm and spout, single hole PNC 855324 ☐
- Infrared mixer tap with spout 3/4", single hole PNC 855325 ☐
- HD mixer tap with spray arm 3/4", single hole PNC 855326 ☐

APPROVAL: _____



Electrolux

Standard Preparation 1840 mm Fish Processing Table

- Foot operated mixer tap (hot and cold) with spout 3/4" ☐ PNC 855328
- Mixer tap with spray and spout 3/4", single hole ☐ PNC 855329




Standard Preparation
1840 mm Fish Processing Table


The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2015.03.20

Front




Top



D = Drain
EQ = Equipotential screw

Side



Key Information:

External dimensions, Height:	132328 (TLP1810P)	1000 mm
External dimensions, Width:		1840 mm
External dimensions, Depth:		700 mm
Upstand Dimensions, Height:		100 mm
Upstand Dimensions, Depth:		13 mm
Upstand Dimensions, Radius:		R=10 mm
Bowls number		1
Bowl dimensions		510x310xH200
Worktop thickness:		50 mm
Net weight:		60 kg
Number of cutting boards		1
Cutting board dimensions - width		400 mm
Cutting board dimensions - depth		600 mm
Cutting board dimensions - height		25 mm