



# Electrolux

## Vegetable Slicer TRK70 Cutter Slicer - 7.4qt - Variable Speed

ITEM # \_\_\_\_\_  
MODEL # \_\_\_\_\_  
NAME # \_\_\_\_\_  
SIS # \_\_\_\_\_  
AIA # \_\_\_\_\_



Electrolux

TRK70 Cutter Slicer - 7.4qt - Variable Speed



Vegetable Slicer

TRK70 Cutter Slicer - 7.4qt - Variable Speed

603813 (TRK70VVNU)

TRK70VV W/ 7.4QT BOWL+  
CUTTING-VAR SP-US  
(300-3700 rpm)

### Short Form Specification

#### Item No.

TRK70VVNU-Vegetable Cutter/Mixer, angled front, continuous feed design, variable speed (300-3700 rpm), large single feed hopper, includes 7.4 qt stainless steel bowl, lid, bowl scraper, microtooth blade rotor, handle pusher, standard ejector, stainless steel feeding arm & hopper, aluminum motor housing, 1-1/3 HP, 120v/60/1, 6.0 amps, NEMA 5-15P, ETL listed (no discs included)



APPROVAL: \_\_\_\_\_

### Main Features

- 3 in 1 machine: cutter, emulsifier and vegetable slicer to slice, grate, liquidise, mix and mince in a matter of seconds.
- Incl system to incline motor base at 20° to better fit the vegetable slicer attachment.
- Vegetable slicer unit has slicing, grating, shredding as well as dicing and french fries capabilities.
- Long vegetables round hopper integrated in the feed arm, 3/4 moon roundish hopper to limit pre cutting operations.
- Emulsifier function (scraper) included as standard.
- Base fixed cover for a better handling.
- Red OFF, green ON buttons.
- Pulse function to coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Magnetic safety system and motor brake. Prevents machine from running when vegetable preparation lever and/or hopper are lifted or when cutter lid is not properly closed.
- Automatic speed limitation according to the selected function (slicer or cutter).
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Delivered with:
  - Stainless steel lever operated feed hopper.
  - 7.4qt stainless steel cutter bowl, transparent lid, scraper and microtoothed blade rotor.

### Construction

- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Stainless steel bowl has a high chimney to ensure high productivity also when processing liquids (75% of the nominal capacity).
- Feeding arm and hopper are made entirely in stainless steel. Aluminum motor housing.
- Vegetable cutting at 4 speeds up to 800 rpm. Food processing at 10 variable speeds: 300-3700 rpm.
- IP24 throughout entire machine.
- Power: TRK70 - 2 HP.
- IPX5 (IP55) flat panel touch-control, waterproof panel.
- Compact and portable design.
- All blades (available on request) are made in stainless steel and dishwasher safe.

### Included Accessories

- 1 of Microtooth Blade Rotor for 7.4 quart PNC 653584 cutter/mixer

Electrolux Professional, Inc.

[www.electroluxusa.com/professional](http://www.electroluxusa.com/professional)

10200 David Taylor Drive, Charlotte, NC 28262 • Telephone Number: 866-449-4200 • Fax Number: 704-547-7401



# Electrolux

## Vegetable Slicer TRK70 Cutter Slicer - 7.4qt - Variable Speed

- 1 of Lid & Bowl Scraper, 7.4 quart, for cutter/mixer PNC 653592
- 1 of Bowl, 7.4 quart, for cutter/mixer, stainless steel PNC 653593
- 1 of TRS & TRK Ejector Plate (fits with following PNC: 603800, 603801, 603802, 603803, 603811, 603812, 603813) PNC 653772

### Optional Accessories

- Microtooth Blade Rotor for 7.4 quart cutter/mixer for emulsions PNC 650041 □
- Slicing Blade with Pusher, S Blade, stainless steel, 3/16" (5mm) (combine with dicing grid) (replaces 653734) PNC 650048 □
- Slicing Blade with Pusher, S Blade, stainless steel, 1/4" (6mm) (combine with dicing grid) (replaces 653736) PNC 650049 □
- Slicing Blade with Pusher, S Blade, stainless steel, 5/16" (8mm) (combine with dicing grid) (replaces 653738) PNC 650050 □
- Slicing Blade with Pusher, S Blade, stainless steel, 3/8" (10mm) (combine with dicing grid) (replaces 653739) PNC 650051 □
- Slicing Disc with Pusher, Mozzarella, S Blade, stainless steel, 3/8" (10mm) (combine with dicing grid) (replaces 653740) PNC 650052 □
- Pressing/Slicing Disc with S Blades, stainless steel, 12mm (combine with dicing grid) PNC 650053 □
- Slicing Blade with Pusher, S Blade, stainless steel, 33/64" (13mm) (combine with dicing grid) (replaces 653742) PNC 650054 □
- Slicing Blade with Pusher, Corrugated, S Blade, stainless steel, 5/16" (8mm) (combine with dicing grid) (replaces 653752) PNC 650055 □
- Slicing Blade with Pusher, Corrugated, S Blade, stainless steel, 25/64" (10mm) (combine with dicing grid) (replaces 653753) PNC 650056 □
- Stainless steel work table assembly. PNC 653283 □
- Dicing Grid, 1/5" PNC 653566 □
- Dicing Grid, 5/16" PNC 653567 □
- Dicing Grid, 3/8" PNC 653568 □
- Dicing Grid, 1/2" PNC 653569 □
- Dicing Grid, 3/4" PNC 653570 □
- French Fry/Vegetable Stick Blade, 1/4" PNC 653571 □
- French Fry/Vegetable Stick Blade, 5/16" PNC 653572 □
- French Fry/Vegetable Stick Blade, 3/8" PNC 653573 □
- Smooth Blade Rotor for 7.4 quart cutter/mixer PNC 653583 □
- Microtooth Blade Rotor for 7.4 quart cutter/mixer PNC 653584 □
- Lid & Bowl Scraper, 7.4 quart, for cutter/mixer PNC 653592 □
- Bowl, 7.4 quart, for cutter/mixer, stainless steel PNC 653593 □
- Kit for Vegetable Slicer conversion for variable speed cutter/mixer PNC 653594 □
- Smooth Blade Rotor for 7.4 quart cutter/mixer for emulsions PNC 653712 □

- Slicing Blade, S Blade, stainless steel, 01/32" (0.6mm) (NOTE: This disc will not operate with model FT or MT Electrolux grids for creating french fry cuts or dicing, please order C-disc model ending in PS instead) PNC 653728 □
- Slicing Blade, S Blade, stainless steel, 1/32" (1mm) (replaces old discs 653101 and 653111) (NOTE: This disc will not operate with model FT or MT Electrolux grids for creating french fry cuts or dicing, please order C-disc model ending in PS instead) PNC 653729 □
- Slicing Blade, S Blade, stainless steel, 1/16" (2mm) (replaces old discs 653102 and 653112) (NOTE: This disc will not operate with model FT or MT Electrolux grids for creating french fry cuts or dicing, please order C-disc model ending in PS instead) PNC 653730 □
- Slicing Blade, S Blade, stainless steel, 1/8" (3mm) (replaces old discs 653103 and 653113) (NOTE: This disc will not operate with model FT or MT Electrolux grids for creating french fry cuts or dicing, please order C-disc model ending in PS instead) PNC 653731 □
- Slicing Blade, S Blade, stainless steel, 5/32" (4mm) (NOTE: This disc will not operate with model FT or MT Electrolux grids for creating french fry cuts or dicing, please order C-disc model ending in PS instead) PNC 653732 □
- Slicing Blade, S Blade, stainless steel, 3/16" (5mm) (replaces old disc 653115) (NOTE: This disc will not operate with model FT or MT Electrolux grids for creating french fry cuts or dicing, please order C-disc model ending in PS instead) PNC 653733 □
- Slicing Blade, S Blade, stainless steel, 1/4" (6mm) (replaces old disc 653106) (NOTE: This disc will not operate with model FT or MT Electrolux grids for creating french fry cuts or dicing, please order C-disc model ending in PS instead) PNC 653735 □
- Slicing Blade, S Blade, stainless steel, 5/16" (8mm) (replaces old disc 653108) (NOTE: This disc will not operate with model FT or MT Electrolux grids for creating french fry cuts or dicing, please order C-disc model ending in PS instead) PNC 653737 □
- Julienne Blade, stainless steel, 1/16" (2x2mm) (replaces old disc 653214) PNC 653743 □
- Julienne Blade, 1/8" (3x3mm) (replaces old disc 653153) PNC 653744 □
- Julienne Blade, 5/32" (4x4mm) (replaces old disc 653154) PNC 653745 □
- Julienne Blade, 15/64" (6x6mm) PNC 653746 □
- Julienne Blade, 5/16" (8x8mm) PNC 653747 □
- Julienne Blade, 25/64", (10x10mm) PNC 653748 □
- Slicing Blade, S Blade, stainless steel, 1/16" (2mm), wavy cut (replaces old disc 653122) PNC 653749 □
- Slicing Blade, S Blade, stainless steel, 1/8" (3mm), wavy cut (replaces old disc 653123) PNC 653750 □
- Slicing Blade, S Blade, stainless steel, 1/4" (6mm), wavy cut (replaces old disc 653126) PNC 653751 □
- TRS & TRK Ejector Plate (fits with following PNC: 603800, 603801, 603802, 603803, 603811, 603812, 603813) PNC 653772 □



**Electrolux**

**Vegetable Slicer  
TRK70 Cutter Slicer - 7.4qt -  
Variable Speed**


- Grating Blade, stainless steel, fine, 1/16" (2mm) (replaces old disc 653713) PNC 653773 ☐
- Grating Blade, stainless steel, fine, 1/8" (3mm) (replaces old disc 653714) PNC 653774 ☐
- Grating Blade, stainless steel, 5/32" (4mm) (replaces old disc 653715) PNC 653775 ☐
- Grating Blade, stainless steel, 9/32" (7mm) (replaces old disc 653716) PNC 653776 ☐
- Grating Blade, stainless steel, 23/64" (9mm) (replaces old disc 653717) PNC 653777 ☐
- Grating Blade, designed for nuts, chocolate & bread crumbs, stainless steel (replaces old disc 653718) PNC 653778 ☐
- Grating Blade, especially fine grating for Parmesan cheese, stainless steel (replaces old disc 653719) PNC 653779 ☐
- SCEQX - Bistro 3-Disc Set (C2S, C5S, J2X) PNC 653785 ☐
- SCREQX - Gastronomic 6-Disc Set (C2S, C5S, J2X, AS4X, C10PS, MT10T) PNC 653786 ☐




# Electrolux

## Vegetable Slicer TRK70 Cutter Slicer - 7.4qt - Variable Speed

Front




Top



EI = Electrical connection

EQ = Equipotential screw

Side



### Electric

Supply voltage:

603813 (TRK70VVNU)

100...120 V/1N ph/50/60 Hz

Electrical power:

1.5 kW

Total Watts:

1.5 kW

### Key Information:

External dimensions, Width: 9 15/16" (252 mm)

External dimensions, Depth: 19 1/16" (485 mm)

External dimensions, Height: 20 7/8" (530 mm)

Shipping width: 12 13/16" (325 mm)

Shipping depth: 32 1/16" (815 mm)

Shipping height: 23 5/8" (600 mm)

Shipping weight: 73 lbs (33 kg)

Vegetable Slicer  
TRK70 Cutter Slicer - 7.4qt - Variable Speed

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2016.01.11